

 **intrafarma**  
Rejeneratif & Hücresel Tedavi  
*Sizi Yaşama Bağlıyoruz*

**Vet. Hek. Hatice KORKMAZ**  
Medical and Marketing Manager




---

Product groups frequently used in the treatment of osteoarthritis;

- **Food supplement**
- **Hyaluronic acid**
- PRP
- Cell therapy

# Food supplement ; Glucosamine

- One of the basic substances that make up the joint cartilage structure
- If it is lacking in our body, it is taken from outside.
- It is recommended at the beginning of osteoarthritis.



# Food supplement ; Glucosamine

- It is a product group with many commercial varieties,
- It is prescribed by the physician,
- Sold in pharmacy.




# Food supplement ; Glucosamine

- Glukosamine sulfate - 750 mg
- Chondroitin sulfate - 300 mg
- Methyl sulfonyl methane (MSM) – 200 mg
- Boswellia serrata – 100 mg
- Undenaturate Type II Collagen - 20 mg
- Hyaluronic Acid - 25 mg



# Hyaluronic acid


- Found in our body
- Basic substance of articular cartilage
- Ability to retain water and provide fluidity



# Hyaluronic acid

---

- Traumatic and degenerative joint diseases
- Pain and limitation of movement in deficiency
- Various forms and ways of application



# Hyaluronic acid

---

- Different forms and contents depending on its structure
- Administration by physician
- After application; intra-articular relief and pain reduction





# Hyaluronic acid



2 ml / 32 mg HA	3 ml / 48 mg HA	3 ml / 75 mg HA
Linear linked HA	Linear linked HA	Linear & Crossed Linked HA
800-1200 K Dalton HA	800-1200 K Dalton HA	500 K Dalton 1 Milyon K Dalton 2 Milyon K Dalton
Application of 2-3 doses with an interval of 2 weeks	1 dose per year (2 doses if necessary)	1 dose per year (2 doses if necessary)
Effective for at least 24 weeks	Etkinliđi 1 yıla kadar devam eder	Its effectiveness continues for up to 1 year



**Thank  
You!!!**